Scenario Department	Trend	A	В	С	D	Other Comments
Austin Aviation Dept	Significant roadway expansion north/south and east/west. Adds the most roadway expansion to and from the airport. Improves compatible land use around the airport by keeping residential development around the airport low. Development plan is generally centrally-located with progress eastward.	Roadway expansion is primarily north/south with little east/west expansion (HWY 290). No improvements to roadways serving the airport. Residential development on airport property or within the Airport Overlay Zones is prohibited. Development is dispersed throughout the planning area.	Development in this scenario is similar to the trend scenario, however, there is minimal roadway expansion north/south and none east/west. No roadway improvements/expansion to serve the airport. Residential development on airport property or within the Airport Overlay Zones is prohibited.	Same as scenario B - No roadway expansion/improvements to and from the airport. Generally less development in the SE quadrant of the planning area. This scenario shows an increase in residential development on end around the airport (north). Residential development is a noncompatible land use near the airport. Residential development on airport property or within the Airport Overlay Zonesiis prohibited. Generally development is centralized along IH 35.	Similar to Scenario C - development is centrally located with a little expansion to the east. Some roadway expansion to and from the airport shown graphically, however, the text shows "no change". Generally, compatible land use development around the airport.	Airport passenger growth is currently forecasted at 2-3% per year for the next 5-10 year timeframe. No roadway expansion/improvements to/trom the airport will negatively impact the airport land the City's economic base. The airport Is the first and last impression a passenger will have of Austin. Compatible land use development (commerical, industrial, agricultural, etc) must be considered when developing around the airport.
Austin Climote Protection Program		The resources need to maintain this infrastructure improves will take away the cities ability to fund adaptation measures such as storm water mitigation and improved emergency services. The burgeoning growth patterns of acenario A and B would make it more difficult to protect land and decrease the ability to cultivate a diverse landscape. Consumes tand with homea and roads makes it more likely that vulnerable communities would have a harder time accessing productive agricultural lands. Scenario A and B would discourage healthy and environmentally sensitive behaviors. The decentralized plan would make it more expensive to create a-multimodal regional and comprehensive network of transportation effective for the movement of alt goods and services.		This Scenario offers the greatest amount of land dedicated to open space. Additional open space can act as a buffer for stormwater surges and as a carbon sink. Plus, open space allows for trails and alternative non-motorized transportation.	Least amount of smog-forming air pollution & Carbon Dioxide. Least amount of Vehicle-Miles Traveled per person each day & Vehicle Minutes Traveled. This results in decreases vehicle exhaust. Greatest % of employees & residents within a 14 mile of transit routes & stops. Least amount of Sq Miles of development within environmentally sensitive areas. Frees up tand for agricultrual use. Allows the community to choose land use patterns that best fit Austin's health lifestyle. Calls for the design of "right-sized" neighborboods that better utilize the public right-of-ways & transportation corridors for mass fransit & alternative forms of transportation. This could replace much of the single occupant vehicles trips. Encourages compact development patterns connected by public transit & trails. Ameliorate air quality & create a healthier environment for our children. Offers the best option to maintaining a rapidly renewable water source that is aafe & clean for all people & their activities.	The smaller we can make our infrastructure footprint, the less modifications and maintenance we will need to make in the future. By designing with the natural system and preserving land, we can create resiliency in our regional landscape.

Scenario	Trend	Α	В	С	D	Other Comments
Austin Energy	Construction of transmission to serve new substations and associated distribution will be necessary to serve load, especially as development moves outward. Existing facilities may also need to be upgraded or extended to serve new load in	infrastructure needs and associated	New facilities and/or expansion or upgrade of existing electrical facilities to serve the load will be needed especially to the east. Expansion or upgrade of existing facilities may be necessary to serve the redevelopment within the urban core. Difficulty in expanding existing facilities or constructing new substation may arise in established areas. There may be more of a push to place facilities underground, which will be very costly and may not be feasible in certain areas	It may be necessary for AE to consider modifying their standard substation design to better accommodate areas with higher load densities and a compact growth pattern. Cost will significantly increase especially if more compact	Similar concerns to Scenario C. However, of the five scenarios this one may be the most costly from an electrical infrastructure standpoint, with the development focusing in the urban core area expanding facilities or constructing new ones will be very challenging.	>
Austin Fire Dept	require the construction of multiple new stations and additional new	and additional units at several	This scenario requires the construction of multiple new stations and additional units at several existing atations.			Growth policies intended to promote mixed-use, high density residential structures will place an increased emphasis on fire code regulations, inspections and prevention programs, and require the development of a comprehensive prefire planning program. Given the age and condition of many of our existing stations, locating additional units at these stations would require a major overhaul at some facilities and possible relocation and new station construction in other cases.

Scenario	Trend	A	В	С	D	Other Comments
Austin Police	_	Because the distribution of	<u> </u>	High-density housing: although	Same as C	All five scenarios involve the same
Department		population varies across the		crime in high-density housing may	Dame no o	population increase, APD's response
		scenarios, scenarios where new	i	lead to more dense crime, it doesn't		would likely focus on population
		development (residential or	Į.	necessarily result in more per-capita		distribution and new facilities. Police
		business) occurs away will affect the		crime. Therefore, no particular		officers are less tied to physical
		department somewhat differently	-	increase in crime is expected with		facilities. For example, Fire and
		than in-fill scenarios.		high-density housing. Mixed-use		EMS facilities must be open on "Day
				development: the primary advantage		1" in order to provide service to
			ļ	of mixed-use is the presence of		
				residents during more hours.		newly annexed areas. While police
			:	Unoccupied residences are at		officers operate out of substations,
			:	increased risk of burglaries during		they are in the field for the majority
			•	the day and retail businesses are at		of their shifts. The placement of a
				increased risk of burglary at night.		police substation is based more on
1				Because mixed-used developments		population density and development
1				result in resident/shopper presence		as it emerges compared to Fire/EMS
				for more hours of the day/night, they		stations located on a grid that covers
				may help deter these types of		every square mile of the city.
	!			property crime.	<u> </u>	including undeveloped areas.
			l .	property crime.		
Austin Transportation	Transportation Systems Ranking	Transportation Systems Ranking 4.	This Scenario begins to provide more	Transportation Systems Ranking 2.	Transportation Systems Ranking 1.	
Department	5.Although current CAMPO 2011 -	In many respects Scenario A is	sustainable mixes of residences and	With higher population density per	This Scenario performs best by	
	2014 TIP contains some projects to		jobs in terms of new development	square mile of new development	reducing congestion and	
		Transportation infrastructure, with	(52%). While increasing the	(14,400) and increasing proportion of	environmental impacts of	
		the second greatest hours of delay	percentage of residents within 1.4	residents within 1.4 mile of transit	greenhouse gas emissions, offers	
		per day, greatest average distance in		routes and stops, significant benefits		ļ
	because the scenario projects the	miles for all residents to the closest	(50.2%) it shows a projected	associated with the challenges of	transportation systems and	
[job (.20 miles), and the same value of		transportation provision are obvious:	reduction of auto dependency. With	
	The second secon	time lost each year to travel delays	from the Trend and Scenario A.	increased daily trips by transit and		
		(\$3.8 billion). These characteristics	These benefits are evident in	bike-pedestrian (278,500 and	the highest percentage of new mixed	
	transit route and stop. It exhibits the	produce the highest projected daily	increased transit and hicycle-	215,545, respectively), less daily	use development (71%) and	
1	least proportion of mixed use	VMT (36.2 million). This Scenario.	pedestrian trips per day, 255,200	VMT (35.7 million), and average	population density of new	
	1	like the Trend, supports auto-centric	and 185,410, respectively. The	distance to the closest job (.15 mile).	development (15.200), it offers the	
	-	development patterns, a need to	Scenario begins to represent a more	A mix of transportation modes will	greatest potential for alternative	
	delay (543,000) and greatest value of	construct extensive freeway &	I	be better able to serve this	travel modes, reduction in	
	time lost each year to this delay	arterial systems, and land use	terms of transportation	development pattern, at lower	congestion and daily hours of delay	
	I a company of the co	consumption that can not efficiently	infrastructure provision, allowing	societal cost, and reduction in	(388,000), and overall reduction in	
	I's	be served by multi-modal	greater success of multiple modes of	greenhouse gas emissions.	daily VMT per person (20.5).	
	serve with roadways, transit, bicycle-		transport, and more efficient people-	greennouse gas emissions.	Alternatives will reduce the need for	
	pedestrian and trail infrastructure	Transportation.	moving capability.		'all trips to become auto trips' by	
			land to the capability		offering choices. This is evidenced by	
		0			the higher number of forecast daily	
}	X.C				trips by transit and bike-pedestrian	
					modes, as well as the highest	
					percentage of employees within 1/4	
	Creates less desirable outcome than	Same as the Trend	Same as the Trend	Creates the second best outcomes for	mile of transit routes and stone Creates the best outcomes for land	We identified the most preferred as
Health Department	C and D			land use, environmental, City	use, envrionmental, City facilities	least risk of negative impact to the
]				facilities and services, and	and services, and transportation	public's health.
L				transporation indicators	indicators_	paono s neam.
						· · · · · · · · · · · · · · · · · · ·

Scenario	Trend	Α	В	С	D	Other Comments
Austin-Travis County		181			Because of the addition of mixed use	Troffic flow in high growth areas will
EMS					corridors in existing service sreas	impact response time compliance
			1	1	with medium & high density	due to increased population,
1					residential above commercial	construction and the expansion of
	1.				structures, and the projected	commuter rail. Wireless network
		5	l		increase in high density residential	coverage could be an issue if the
}				1	housing, additional personnel,	cellular network industry does not
]					equipment, ambulances and stations	build-out infrastracture at the same
				ì	would be needed.	rate of growth. This impacts the
1	1					Mobile Data Computers and
	[İ	Electronic Patient Care Report
					1	Computers in ambulances and
						command vehicles. Annexation of
						sreae that are currently receiving
						fire protection and EMS first
		<u> </u>				response services from fire
						departments affect the funding
						model of those taxing districts and
						their ability to continue to provide
Austin Water Utility	Water Systems Ranking: 3,	Water Systems Ranking: 5,	Water Systems Ranking: 4.	Water Systems Ranking: 2,	III. C. A. D. N.	services in areas adjacent to annexed
	Wastewater Systems Ranking: 3,	Wastewater Systems Ranking: 5,	Wastewater Systems Ranking: 5,		Water Systems Ranking: 1,	Improvements include
	Reclaimed Water Systems Ranking:		Reclaimed Water Systems Ranking:	Wastewater Systems Ranking: 2.	Wastewater Systems Ranking: 1,	rehabilitation/upgrade of
	4The Trend scenario is ranked	1	1This scenario ranked lower in	Reclaimed Water Systems Ranking:3This scenario ranked relatively		
- 0	relatively high and also generally	In the second se	comparison due to the location of	high and also generally make	This scenario ranked first for	new facilities to extend service to
157	makes effective use of the existing		more of the projected growth to occur		water, wastewater and reclaimed	expansion areas. All of the proposed
i	and planned infrastructure systems.		in currently undeveloped areas. This	planned infrastructure systems.	water systems indicating that it effectively uses the existing and	growth scenarios could be
	, , , , , , , , , , , , , , , , , , , ,		configuration would be expected to	pranied intrastructure systems.	planned AWU infrastructure.	accommodated within AWU infrastructure plans (excluding the
		Ranch area, etc.). AWU has no plans		1	pranned A W O Intrastructure.	areas in Scenario A that fall outside
		to extend W&WW services into these	facilities to serve in new areas as			of the service area). AWU's
		areas.	compared to the other scenarios. In			infrastructure plans include utility
		ŀ	this scenario, the cluster of			improvements to support
		ľ	industrial development around ABIA			development in these areas. Due to
			would make good use of existing and			the limited existing wastewater
			near term CIP expansion of the	i	i	systems in the SH 130 corridor.
			reclaimed water system from the			extensions including wastewater
			South Austin Regional Wastewater			treatment capabilities will be
			Treatment Plant			required. The scenarios with more
						intensive development in the SH 130
						corridor may tend to accelerate
34						timing of the need to extend this
						infrastructure. Based on the
						estimated average anoual water
					[demand for the five ecenarios.
						Austin's current water supplies are
Chief Sustainability		·	-			projected to be sufficient to serve all
Officer	1.					
					<u> </u>	4

Scenario	Trend	A	В	i c	D	Other Comments
EGRSO		Next to the Trend Scenario, seems to	Generally reflects the reality that	Provides more development	Overall, this seems to offer the best	The quicker the rail line goes to
	1	offer the best opportunity for	denser mixed-use development nodes		direction forward, although some of	Mueller the sooner the Town Center
	!	development of an inland port	are already planned (and largely	development the City will take will	the Sustainability. This appears to	there will become more dense and
	!	around ABIA. I would question the	entitled) along the extension of	define the work load for our	have the best overall sustainability	activated. Don't put housing and
	!	feasibility of expanding IH-35 by two	Slaughter Lane to 183 (Goodnight	redevelopment group as well as the	performance of all the scenarios.	music venues nearby each other.
	!	lanes in each direction.	and Carma Easton developments)	team(s) working on revitalization	Scenario D provide more	Arts go where affordability exists
	!		and around FM 969 / SH 130 (Indian		development opportunities. What	The grant and the same of the
	!		Hills and Whisper Valley). The	development staff is also involved.	role in this development the City will	
•	!		infrastructure needed to support	Scenario C provides more density at	take will define the work load for our	
	1		such dense mixed-use development	activity centers which provides	redevelopment group as well as the	
	1		is critical to its success. The	opportunity for small businesses	team(s) working on revitalization	
	1		proposed express bus along the	which translates into more work for	projects where economic	
	1		extension of Slaughter Lane to	the Small Business Development	development staff is also involved.	,
'	1		Congress Avanue and the proposed	Program. These activity centers	This provides more density at	
'	1		Lone Star Rail station on Slaughter	could also impact the amount of	activity centers which provides	
			Lane would be very beneficial. The	work for the Art in Public Places	opportunity for small businesses	
			design of the Slaughter Lane	Program staff. Hybrid C & D -	which translates into more work for	
			extension should accommodate	distribute music venues in Centers.	the Small Business Development	
'	!		future dedicated bus / light rail	The Downtown Central Core has	Program. These activity centers	
			lanes.	been the primary location for the	could also impact the amount of	
'	!			iconic museums, cultural	work for the Art in Public Places	
'	!			institutions, venues - With the	Program staff. The Downtown	
'	!			emphasis on activity centers	Central Core has been the primary	
'	!			displayed in Scenario C thought	location for the iconic museums.	
'	!			should be given to how the arts can	cultural institutions, venues	
Financial &			7	nlav a role in enchoring or		
Administrative Services	}					
Fleet Services						The future of the Fleet Services is
'	 					tied directly to the future of those
·						departments such as APD, AFD,
						EMS, SWS, AE. etc that serve the
		1				taxpayers directly. Fleet Services is
		1				simply a part of the system that
						supports those departments. We
			l			would not plan any growth.
		· · · · · · · · · · · · · · · · · · ·	100			relocation, etc. independent of the
		· · · · · · · · · · · · · · · · · · ·				growth or expansion of those
Health Care District					··-	
Human Resources Dept	Human Resource offices are	HRD would need to consider locating	Same as A	Most of the corporate HRD offices	Satellite employment offices or	
		employment offices in growth areas		are already located within the town	digital kiosk could be placed in each	
		near the intersections of US 183 and		center. This scenario most closely	of the new activity centers. These	
1		MoPac, and at SH 71 and Interstate		matches current HRD office	offices/kiosks could also be used by	
1		35.		locations.	employees to conduct City business	
	Corporate HR offices are located in				without necessitating a trip to the	
	the regional downtown area. If an				corporate offices.	
	urban rail line is developed between				-	20
(4)	ABIA, downtown, and the Mueller				1	
					i	
	Learning and Research Center at		L .			
	ABIA downtown, and the Muetter area. City employees would be more able to use public transportation to attend training at the City's Learning and Research Center at		15			

Scenario	Trend	Α -	В	C	D	Other Comments
Labor Relations Office						None of the scenarios will affect our
					1	office directly. However, since our
			1			office is responsible for overseeing
	- 1					the contracts for the Austin Police
				1		
				1	}	Association, the Austin Firefighter's
					1	Association and the Austin/Travis
	1					County EMS Employees
	İ			1	1	Association, any impact on these
				i		dopartments may eventually affect
				1	1	some terms of our contracts such as
						Hours of work, Recruiting/Hiring,
				İ	1	Wages and Benefits, etc. The
						immediate impact on these
			ł			departments would be the additional
			l .			need for civilian and sworn staffing
			f	İ		and equipment to support the
	Į.					addition of 750,000 new residents
			i			and new open space.
						Transportation changes will affect
						the Police Departments Highway
				1		Enforcement division and funding
						associated with Transportation
				1		Federal Funding.
		•				
Library Department	This scenario represents the most	Same as the Trend	Scenario B possesses a greater			
	demanding future growth possibility	Dame as the 114nd	number of public transit	Our department would have the	This redevelopment/infill of existing	
	for service provision by the Library		improvements, both rail and bus.	advantage of providing library	residential neighborhoods and the	
	Department. With the population			services to a more contained	development of mixed-use centers	
	growth entailed in this scenario		The Library Department will be providing library services to a more	municipal area, necessitating less	affords the Library Department very	
	occurring on the outskirts of the			mileage, wear and fuel costs for the	similar advantages to those entailed	
	City, the sites of these larger		contained municipality, thereby	Library fleet of vehicles. The more	by Scenario C. Those advantages	
	Resource Libraries will be pulled to		incurring less mileage and wear on	robust public transit system called	include serving a more compact City	
	the municipal periphery causing a		its departmental vehicle fleet. It	for should assist the Library	(less fleet services operational costs)	
	strain on our Delivery Services		may prove possible to locate one or	Department with placing its new	and greater ease in locating our	
	Division to keep up with the daily		more of our planned Resource	Resource Libraries on transit routes	future Resource Libraries on s	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	moving of materials between		Libraries in the new and developed	in order to earn points toward a	transit route in order to garner the	
	locations. Additional operational		centers along major roads and	LEED silver building rating.	LEED - New Building points	
	costs include the need to add		transit lines, which will help in		necessary for a silver rating.	
	vehicles and personnel for additional		achieving the LEED silver rating			
	runs to these far flung library		required for all City of Austin			
	locations, and the need to replace		construction projects in the future.			
	vehicles more often due to the wear			943		92
	and tear of driving them longer			525		***
	distances.					
Aunicipal Buildings						
· ····································	····		L	<u> </u>		

. .

Scenario	Trend	A	В	С	D	Other Comments
1. 5	Minimize Development Costs/	Minimize Development Costs/	Scenario B presents a challenge due	Minimize Development Costs/	Maximizes Density of Housing	Determining the scenario that most
	Decrease Regulatory Barriers, The	Decrease Regulatory Barriers.	to its encouragement of development	Decrease Regulatory Barriers	Product. Minimize Development	minimizes development costs and
Development	Trend presents a challenge due to its		primarily in East Austin. This would		Costs/ Decrease Regulatory Barriers.	
	encouragement of development	& Poverty Concentration	potentially conflict with the		Minimize Racial/Ethnic Segregation	While a green field development may
	primarily in East Austin. This would		department's goal to encourage the			provide the most inexpensive land
	potentially conflict with the		dispersion of affordable housing		Coat Impact on Operations.	costs, infrastructure costs may be
	department's goal to encourage the		across the city including areas to the			minimized under the most compact
į	dispersion of affordable housing		west that have traditionally not			ecenario.
	across the city including areas to the		included affordable housing. East			
	west that have traditionally not		Austin has a higher concentration of			
	included effordable housing. East		affordable housing than other parts			
	Austin has a higher concentration of		of the city			
	affordable housing than other parts					İ
Parks & Recreation		Scenario A and B will require PARD	Same as A	Scenario C and D reflect a more	Most consistent with Long Range	We will need to construct additional
Depi		to provide more neighborhood and		concentrated residential areas, that	Plan. Most cost effective for parks.	support facilities to maintain
		pocket parks. The more lower		will leave less neighborhoods being	The more dense neighborhoods, the	additional parkland and to reduce
		densities, the more the Parks		further away than ½ mile from a	less demand for multiple parks	vehicle mile trips (Dept. Climate
		Department will be stretched. As it		major park. In addition, park	scattered throughout the city. PARD	
		is-our 2006 Bond program will only		dedication funds or land required	can concentrate in development	master plan and develop additional
		address about 6 neighborhood infill		from these developments could	more metropolitan parks and	parkland. We will need an increase
		projects. We have about 24 priority	i	benefit more of the population.	investing major funds for water	to our budget to acquire, maintain
		areas that are further than t/2 mile		boness more of the population.	parks, skate parks, dog parksetc,	and operate increases to park
		away from any major park facility.				inventory. Overall, the impacts of
		Major park facility includes a park				the scenarios across the board is
]		with at least 3 amenities. (such as			costs of the neighborhood and pocket	
		parking, picnic facilities, playscape.			parks over exceed our capacity to	oi miliai
_		restroomsetc)			keep up with the maintenance	
		200			demands. The more scattered park	}
					system, the more maintenance	
					centers we need to store equipment	
					and staff. Scenario C and D reflect a	İ
		(4)			more concentrated residential areas,	
	:	1.0			that will leave less neighborhoods	
					heing further away than % mile from	
					a major park. In addition, park	
					dedication funds or land required	
					from these developments could	
					benefit more of the population.	0

Scenario	Trend	A	В	C	D	Other Comments
Planning &	The growth node in the northeast	This acenario shows significant "leap-	Except for a node on SH 71 West,	This scenario impacts less land	This acenario impacts very little land	Onici Comment
	planning area is the most practical	frog" development, which is a major	this scenario avoids placing	outside the city limits than the first	outside the city limits and largely	
Annexation Program	under current annexation laws. Job	barrier to annexation. Annexation	significant growth in hard-to-serve,	three scenarios, so one would	avoids leap-frog development. The	
63	growth on US 290 Weat is located in	and provision of municipal services	hard-to-annex areas of western	assume that less annexation would	nodes of growth shown near Manor.	
- 1	an area where the availability of	along RM 2244, RM 620, and US 290	Travis County and fills in more of	be required. Instact, because of the	the Robinson-Ranch (McNeil	
	wastewater service is limited.	West will require major investments	the close-in northern, eastern, and	distance of the centers from the	Crossing), and US 183 South could	
		in wastewater infrastructure, which	southern parts of ETJ. This pattern	existing city limits, the absence of	probably he annexed and served by	
	Austin to annex this area and enact	is needed to achieve moderate or	will make it easier to provide	wastewater infrastructure where the		
	land use controls. Much of the land	high density mixed use. The growth	efficient public safety services.	centers are located, and the	lawa and service extension policies.	
		in the northeast and near southeast	However, barmers to annexation	apparent desire to prevent	The node of growth along South IH-	
		quadranta will the easiest to	remain in the farthest reaches of the	development of the in-between land,	35 is adjacent to the City, but it is	
	annex, serve, and regulate the	accommodate under the current	ETJ, where the presence of other	it may be impossible to annex much	not in Austin Water's service area.	
		annexation program. However, there	water aupply corporations with	of the growth in these centers. As a	and new investment in public safety	
		are severe utility constraints in the	limited water capacity and no	result, the centers will exist in a	services would be required due to the	
	use pattern may requira the creation	southeast,	wastewater treatment facilities	regulatory and service vacuum, and	access challenges created by the	•
	of apecial districts to finance utilities		constrains development.	it will be difficult for the City to	limited-sccess highway.	
1	to the nodes and a delay of full			recoup the costs of growth.	,,,,	
	purpose annexation due to the high			Alternative models will be needed to		
	cost of special district taxes.			support growth, such as special		
	Regulatory control in isolated areaa			districts, but care abould be taken to		
	may be achieved through limited			minimize the fracturing of service		
	purpose annexation, but then only			provision among multiple entities.	1	
	with property owner consent. Delay			Regulatory controls will be necessary		
	of full purpose annexation of			to prevent "backfilling" of		
I .	developed areas can result in			development into the gapa, but it is		
	inadequate service to residents and			not clear how that can be achieved		
Planning &				More compact scenarios would likely	Sama as C	
Development Review:				require more staff to assist in the	Same as C	
Urban Design Section				creation/modification of codes and		
				design atandards to ensure that new		
		İ		compact development is of high		
				quality, feasible, and contributes to		
ĺ				the creation of a more sustainable		
Public Works				aitu		
	With the current trend acenerio SWS	Scanario A shows the highest levels	Connecte Discours desired	C		
	would be doubling its current service		Scenario B is very similar to Scenario A in that it would still need		Scenarioa C & D would allow SWS to	
				services. Both scenarios are very	be the most creative with new	
		SWS collection routes and significant	routes and significant Zero Wests	compact, have a great amount of	services. Both scenarios are very	
	the greatest increase in operational		education to new residential	mixed use development and	compact, have a great amount of	
	costs to SWS. As of 2010, the City of			therefore would require specialized	mixed use development and therefore would require specialized	
		shows the second highest increase in	within the urban core would likely	services from SWS. Zero Waste	services from SWS. Zere Waste	
			not have such a profound effect on	education would be a key component		
	for city-wide litter abotement and	and thus would require the lesst	•		in both Scenario C & D and would	
	collection of solid waste from 163,965	amount of change in current SWS	would simply be incorporated into	most likely lead to the creation and	most likely lead to the creation and	
1				incorporation of public recycling	incorporation of public recycling	
				stationa and perhaps community	stations and perhaps community	
		trucks, and a greater amount of Zero		gardens and compost hins.	gardens and compost bins.	
		Waste outreach and education.	and and because again	Bernene and compost mas,	garueus ann compost oins.	
	dwellings of 4 units or less and a					
	limited number of qualifying small					
	businesaes.					

Scenario	Trend	Α	В	С	D	Other Comments
Watershed Protection		Scenario A shows high levels of new	Scenario B shows high levels of new	Scensrios C and D sre the preferable	Same as C	
	1			alternatives for preservation of open		
		would create the most significant	would create the most significant	space within headwaters and	10	
	significant/expensive impacts to the		and expensive impacts to the	floodplains, especially east of IH-35.		
		protection of eastern creeks and	protection of eastern creeks and	Smaller service areas would have		
	floodploins. Scenarios with the most	floodplains. Scenarios with the most	floodplains. Scenarios with the most	less of an increase in operational	×	
		extensive land srea developed	extensive land area developed	costs and would potentially reduce		
	(Trend, A, & B) result in the greatest	(Trend, A, & B) result in the greatest.	(Trend, A, & B) result in the greatest	future annexation costs . Scenarios		
			increase to the City's service ares.	with the greatest infill density will		
		Scenario A shows the high increase		require the greatest set-aside for		
	roadways and thus would likely have			these upgrades. Scenario C and D		
1	I	have the greatest negative		show the least development in the	84	
	impacts.	watershed impacts.		sensitive western watersheds	<u> </u>	
				105.0		